



## Utdanning i psykoterapi ved psykoser

### LITTERATURLISTE

Adler, G. (1979): «The psychotherapy of schizophrenia: Semrad's contributions to current psychoanalytic concepts». *Schizophrenia Bulletin*, 5, 1, 130 – 137.

Blankenburg, W. (2001): «First steps toward a psychopathology of common sense». *Philosophy, Psychiatry and Psychology*, 8, 4, 303 – 315.

Bollas, C. (2013): «Broken selves», «Signs of breakdown» og «The guidelines». Kapittel 1, 2 og 3 i boken: *Catch them before they fall*. East Sussex. Routledge.

Bollas, C. (2015): «Listening to a different logic» og «Mind blowing thoughts». Kapittel 6 og 7 i boken: *When the sun bursts. The enigma of schizophrenia*. Cambridge. Yale University Press.

Bollas, C. (2015): «Assumed knowledge» og «Change». Ibid. Kapittel 12 og 18.

Chadwick, P. (2009): «Personbasert kognitiv terapi ved psykoser». Kapittel 1 i boken: *Personbasert kognitiv terapi ved psykoser*. Trondheim. Tapir Akademisk Forlag.

Chadwick, P. (2009): «Rammemodell for PBKT: Den nærmeste utviklingssonen». Kapittel 3 i boken: *Personbasert kognitiv terapi ved psykoser*.

Chadwick, P. (2009): «Arbeid med symptomatisk mening». Kapittel 4 i boken *PBKT med psykoser*.

Chadwick, P. (2009): «Forholdet til indre opplevelser: Praktisering av oppmerksomt nærvær». Kapittel 5 i: *PBKT ved psykoser*.

Chadwick, P. (2009): «Arbeid med skjema». Kapittel 6 i: *PBKT ved psykoser*.

Chadwick, P. (2009): «Selvaksept og det symbolske selvet». Kapittel 7 i: *PBKT ved psykoser*.

Chadwick, P., Birchwood, M. & Trower, P. (1996): «Cognitive therapy for paranoia». Kapittel 7 i boken: «Cognitive therapy for delusions, voices and paranoia». Chichester. John Wiley & Sons.

Chan, M. K. Y, Bhatti, H., Meader, N. et al. (2016): «Predicting suicide following self-harm: Systematic review of risk factors and risk scales». *The British journal of Psychiatry*, 209, 277 – 283.

Davidson, L. (2003): «Living outside schizophrenia». Kapittel 5 i boken: *Living outside mental illness*. New York. New York University Press.

Davidson, Rakfeldt & Strauss (2010): «Agency as the basis for transformation». Kapittel 4 i boken: Davidson, L., Rakfeldt, J. & Strauss, J.: *The roots of the recovery movement in psychiatry*. New York. Wiley – Blackwell.

Davidson, L. & Strauss, J. S. (1992): «Sense of self in recovery from severe mental illness». *British Journal of Medical Psychology*, 65, 131 – 145.

Deegan, P. (1996): «Recovery as a journey of the heart». *Psychiatric Rehabilitation Journal*, 19, 6, 91 – 97.

Denning, P. (2000): «The development of harm reduction psychotherapy». Kapittel 2 i boken: *Practicing harm reduction psychotherapy*. New York. The Guilford Press.

- Denning, P. (2000): «Dual and multidagnosis patients». Kapittel 6 i boken: Practicing harm reduction psychotherapy.
- Elliot, M. et al (2010): «The assessment of theory of mind in schizophrenia». Kapittel 7 i boken: Dimaggio, G. & Lysaker, P. H.: Metacognition and severe adult mental disorders. London and New York. Routledge.
- Fenton, W. (2000): «Evolving perspectives on individual psychotherapy for schizophrenia». Schizophrenia Bulletin, 26, 1, 47 – 72.
- Foucault, M. (1982): «The subject and power». Critical Inquiry, 8, 4, 777 – 795.
- Foucault, M. (2005): «Sygdom og udvikling». Kapittel 2 i boken: Sindssygd og psykologi. København. Hans Reitzels Forlag
- Foucault, M. (2005): «Sygdommen og den individuelle historie». Kapittel 3 i boken: Sindssygd og psykologi.
- Foucault, M. (2005): Kapittel 4: «Sygdom og eksistens». Kapittel 4 i boken: Sindssygd og psykologi.
- Fuchs, T. (2010): «Subjectivity and Intersubjectivity in Psychiatric Diagnosis». Psychopathology, 43, 268 – 274.
- Fuchs, T. & De Jaegher, H. (2009): «Enactive Intersubjectivity: Participatory sense-making and mutual incorporation». Phenomenology and cognitive science, 8, 465 – 486.
- Fuller, P. R. (2013): «The three phases of severe psychosis: surviving, existing and living». Kapittel 1 i boken: Surviving, Existing, or Living. Phase-specific therapy for severe psychosis. Hove. Routledge.
- Fuller, P. R. (2013): «The Surviving Phase: characteristics and care». Ibid. Kapittel 2.
- Fuller, P. R. (2013): «The Existing Phase: characteristics and care». Ibid. Kapittel 3.
- Fuller, P. R. (2013): «The Living Phase: characteristics and care». Ibid. Kapittel 4.
- Gillespie, M. & Meaden, A. (2010): «Psychological processes in engagement». Kapittel 1 i boken: Reaching out. The psychology of assertive outreach. London. Routledge.
- Green, A. (2000): «The primordial mind and the work of the negative». Kapittel 8 i boken: Talamo, P. B., Borgogno, F. & Mercani, S. A. (2000): W, R, Bion – Between past and future. London. Karnac Books.
- Hamm, J. A. & Lysaker, P. H. (2015): «Psychoanalytic phenomenology of schizophrenia: Synthetic metacognition as a construct for guiding investigation». Psychoanalytic Psychology. Advance online publication. <http://dx.doi.org/10.1037/a0038949>.
- Hart, S. & Schwartz, R. (2011): «Donald Woods Winnicott: Selvets utvikling i en fasiliterende omverden». Kapittel 1 i boken: Fra interaksjon til relasjon. Oslo. Gyldendal
- Hart & Schwartz (2011): Ibid. Kapittel 2: «John Bowlby: Tilknytning, tilknytningsmønstre og organisering av tilknytningserfaringer».
- Hart & Schwartz (2011): Ibid. Kapittel 3: «Daniel Stern: Spedbarnets tilknytning i en intersubjektiv verden».
- Hart & Schwartz (2011): Kapittel 4: «Allan N. Schore: Affektregulering og personlighets-dannelse».
- Hart & Schwartz (2011): Kapittel 5: «Peter Fonagy: Affektregulering og mentalisering».
- Hasson-Ohayon, I. et al (2010): «Empathic and theory of mind processes: the dialogical core of a metacognitive approach to psychiatric rehabilitation». Kapittel 14 i: Dimaggio & Lysaker: Metacognition and severe adult mental disorders.

- Hewitt, J. & Coffey, M. (2005): «Therapeutic working relationships with people with schizophrenia: literature review». *Journal of Advanced Nursing*, 52, 5, 561 – 570
- Holmes, J. (1998): «Defensive and creative uses of narrative in psychotherapy: An attachment perspective». Kapittel 3 i: Roberts & Holmes.
- Huszonek, J. J. (1987): «Establishing therapeutic contact with schizophrenics: A supervisory approach». *American Journal of Psychotherapy*, XLL, 2, 185 – 193.
- Inderbitzin, L. B. (1990): «The treatment alliance». Kapittel 6 i boken: *Schizophrenia: The treatment of acute psychotic episodes*. Washington, D. C. American Psychiatric Press
- Kates, J. and Rockland, L. H. (1994): «Supportive psychotherapy of the schizophrenic patient». *American Journal of Psychotherapy*, 48, 4, 543 – 561.
- Kernberg, O. (1995): «Den strukturella intervjun». Kapittel 2 i boken: *Svåra personlighetsstörningar*. Stockholm. Natur och Kultur.
- Kingdon, J. K. & Turkington, D. (2007): «Utredning, kartlegging og vurdering» og «Forberede pasienten til kognitiv terapi». Kapittel 5 og 7 i boken: *Kognitiv terapi ved schizofreni*. Oslo. Universitetsforlaget.
- Kingdon, J. K. & Turkington, D. (2007): «Kasusformulering og intervensjoner ved vrangforestillinger». Kapittel 9 i *Kognitiv terapi ved schizofreni*.
- Kingdon, J. K. & Turkington, D. (2007): «Kasusformulering og intervensjoner ved hallusinasjoner». Kapittel 10 i *Kognitiv Terapi ved schizofreni*.
- Kingdon, J. K. & Turkington, D. (2007): «Tankepåvirkning, passivitetsfenomener og formelle tankeforstyrrelser». Kapittel 11 i *Kognitiv terapi ved schizofreni*.
- Kingdon, D. K. & Turkington, D. (2007): «Forebygging av tilbakefall og avslutning av terapien». Kapittel 14 i boken: *Kognitiv terapi ved schizofreni*.
- Lampshire, D. (2012): «Living the dream». *Psychosis*, 4, 2, 172 – 178.
- Laugharne, R. et al (2011): «Trust, choice and power in mental health care: Experiences of patients with psychosis». *International Journal of Social Psychiatry*, 58, 5, 496 – 504.
- Lauveng, A. (2012): «Som vann i en lukket hånd. Om å ville kontrollere det ukontrollerbare». I: Gilbert, G., Stänicke, E & Engelstad, F. (red.). Oslo. Abstrakt Forlag
- Lysaker, P. H. & Buck, K. D. (2010): «Metacognitive capacity as a focus of individual psychotherapy in schizophrenia». Kapittel 13 i Dimaggio & Lysaker: *Metacognition and severe adult mental disorders*.
- Lysaker, P. H. & Lysaker, J. T. (2006): «Psychotherapy and schizophrenia: An analysis of requirements of individual psychotherapy for persons with profoundly disorganized selves». *Journal of Constructivist Psychology*, 19, 171 – 189.
- Lysaker, P. H. & Daroyanni, P. (2006): «Facilitating the emergence of interpersonal relatedness in individual psychotherapy of schizophrenia: A case study». *Bulletin of the Menninger Clinic*, 70, 1, 53 – 67.
- Lysaker, P. H. & Lysaker, J. (2008): «Establishing and sustaining dialogue in individual psychotherapy». Kapittel 7 i boken: *Schizophrenia and the fate of the self*. Oxford. Oxford University Press.
- Mandelid, L. J. (2013): «Risikotegn og tidlige fenomener ved psykoser: Diagnostiske og etiske utfordringer ved tidlig diagnostikk». *Dialog, Bulletin for SEPREP*, 23, 1, 9 – 37.
- Martinsen, K. (2002): «Samtalen, kommunikasjonen og sakligheten i omsorgsyrkene». *Omsorg*, 1, 14 – 22.

- McGlashan, T. H. et al (1975): «Integration and sealing over – Clinically distinct recovery subtypes from schizophrenia». *Archives of General Psychiatry*, 32, 1269 – 1272.
- McGlashan, T. & Keats, C. J. (1989): «Psychotherapy process descriptors». Kapittel 9 i boken: McGlashan, T. H. & Keats, C. J. (1989): *Schizophrenia. Treatment process and outcome*. Washington. American Psychiatric Press.
- Morgan, K. D. & David, A. S. (2010): «Awareness is not the same as acceptance: exploring the thinking behind insight and compliance». Kapittel 6 i boken: Dimaggio & Lysaker: *Metacognition and severe adult mental disorders*.
- Mueser, K. T. et al (2006): «Grunnregler for integrert behandling». Kapittel 2 i boken: Mueser, K. T. et al: *Integrert behandling av rusproblemer og psykiske lidelser*. Oslo. Universitetsforlaget.
- Mulder, R. (2011): «Problems with suicide risk assessment». *Australian and New Zealand Journal of Psychiatry*, 45, 605 – 607.
- Mulder, R., Newton-Howes, G. & Coid, J. W. (2016): «The futility of risk prediction in psychiatry». *The British Journal of Psychiatry*, 209, 271 – 272.
- Møller, P & Husby, R. (2000): «The initial prodrome in schizophrenia. Searching for core dimensions of experience and behavior». *Schizophrenia Bulletin*, 26, 1, 217 – 232.
- Ogden, T. H. (1979): «On projective identification». *International Journal of Psychoanalysis*, 60, 357 – 373.
- Ogden, T.H. (1989): «On the concept of an autistic-contiguous position». *International Journal of Psycho-Analysis*, 70, 127 – 140.
- Ogden, T. H. (1992): «The nature of schizophrenic conflict». Kapittel 7 i boken: *Projective identification and psychotherapeutic technique*. London. Maresfield Library.
- Ogden, T. H. (1992): «The paranoid-schizoid position: Self as object». Kapittel 3 i boken: *The matrix of the mind*. London. The Maresfield Library.
- Ogden, T. H. (1992): «The depressive position and the birth of the historical subject». Kapittel 4 i boken: *The matrix of the mind*. London. Maresfield Library.
- Parnas, J. et al (2005): «EASE: Examination of anomalous self-experience». *Psychopathology*, 38, 236 – 258.
- Phillips, J. (1998): «The psychodynamic narrative». Kapittel 2 i: Roberts & Holmes.
- Read, J. (2013): «A history of madness». Kapittel 2 i boken: *Models of madness*. (Edited by John Read and Jacqui Dillon). London and New York. Routledge.
- Rhodes, J. & Jakes, S. (2009): «Narrative CBT for psychosis»: Kapittel 1 i: *Narrative CBT for psychosis*. Howe. Routledge.
- Rhodes J. & Jakes, S. (2009): «Finding solutions». Kapittel 4 i: *Narrative CBT for psychosis*.
- Rhodes J. & Jakes, S. (2009): «Working with personal meaning». Kapittel 5 i: *Narrative CBT for psychosis*.
- Rhodes, J. & Jakes, S. (2009): «Narrative and trauma». Kapittel 6 i: *Narrative CBT for psychosis*.
- Rhodes, J. & Jakes, S. (2009): «Alternative perspectives». Kapittel 7 i: *Narrative CBT for psychosis*.
- Rhodes, J. & Jakes, S. (2009): «Voices and visions». Kapittel 8 i: *Narrative CBT for psychosis*.

Rhodes, J. & Jakes, S. (2009): «Movement to recovery and ending therapy». Kapittel 9 i boken: Narrative CBT for psychosis.

Robbins, M. (1993): «The psychological perspective: Stages of therapy». Kapittel 15 i boken: Experiences of schizophrenia: An integration of the personal, scientific and therapeutic. New York. The Guilford Press.

Roberts, G. (1998): «Introduction: A story of stories». Kapittel 1 i boken: Roberts, G. & Holmes, J. (Editors): Healing stories. Narrative in psychiatry and psychotherapy. Oxford. Oxford University Press.

Roberts, G. (1998): «The rehabilitation of rehabilitation». Kapittel 8 i: Roberts & Holmes.

Rosenbaum, B. & Harder, S. (2007): «Psychosis and the dynamics of the psychotherapy process». International Review of Psychiatry, 19, 1, 13 – 23.

Rosenfeld, H. (1988): «On the treatment of psychotic states by psychoanalysis: A historical approach». Kapittel 8 i boken: Buckley, P.: Essential papers on psychosis. New York. New York Universities Press.

Sass, L. & Parnas, J. (2003): «Schizophrenia, consciousness and the self». Schizophrenia Bulletin, 26, 3, 427 – 445.

Schore, A.N. (2012): «Therapeutic enactments: Working in the right brain windows of affect tolerance». Kapittel 5 i boken: The science of the art of psychotherapy. New York. W. W. Norton.

Searles, H. F. (1956): «The psychodynamics of vengefulness». Kapittel 5 i boken: Collected papers on schizophrenia and related subjects (1965). Madison, Connecticut. International Universities Press.

Sells, D. J. et al (2004): «Recovering the self in schizophrenia: An integrative review of qualitative studies». Psychiatric Quarterly, 75, 1, 87 – 97.

Sharp, V. & Bellak, L. (1978): «Ego function assessment of the psychoanalytic process». Psychoanalytic Quarterly, 47, 1, 52 – 72.

Spaniol, S. & Cattaneo, M. (1997): «The power of language in the helping relationship». Kapittel 7 i boken: Spaniol, L, Gagne, C. & Koehler, E. (Eds.): Psychological and social aspects of psychiatric disability. Center for Psychiatric Rehabilitation. Boston. Boston University.

Stanghellini, G. (2004): «The genealogy of psychopathology». Kapittel 1 i boken: Disembodied spirits and deanimated bodies: The psychopathology of common sense. Oxford. Oxford University Press.

Stanghellini, G. (2004): Ibid. Kapittel 2: «The origins of the psychopathology of the social being».

Stanghellini, G. (2004): Ibid. Kapittel 4: (s. 71 – 95): «Aporias of intersubjectivity».

Stanghellini, G. (2004): Ibid. Kapittel 6: «The senses of common sense».

Stanghellini, G. (2004): Ibid. Kapittel 9: «Voices and consciousness».

Stanghellini, G. (2004): Ibid. Kapittel 10: «This is not a delusion»

Thorgaard, L. (2006): «Et supplerende diagnosesystem basert på empati: LTH-5». Fra verket: Dynamisk psykoseforståelse og dynamisk relationsbehandling, Bind III. Stavanger. Hertervig Forlag.

Topor, A. (2006): «Fra pasient til person – en annen måte å se individer med psykiske lidelser på». Kapittel 3 i boken: Hva hjelper? Veier til bedring fra alvorlige psykiske problemer. Oslo. Kommuneforlaget.

Van der Gaag, M., Nieman, D. & van den Berg, D. (2013): «What are extraordinary experiences», «Which cognitive biases are associated with ARMS» og «The nature of cognitive biases». Kapittel 3, 4 og 5 i boken: CBT for those at risk of a first episode psychosis. Evidence-based psychotherapy for people with an «At Risk Mental State».

Van der Gaag, Nieman & van den Berg (2013); «A manual for coping with extraordinary and remarkable experiences». Ibid. Kapittel 7.

Van der Gaag, Nieman & van den Berg (2013): «Typical vignettes of treatment cases». Ibid. Kapittel 8.

Weddington, W. W. & Cavenar, J. O. (1979): «Termination initiated by the therapist: A countertransference storm». American Journal of Psychiatry, 136, 10, 1302 – 1305.

Weiner, D. B. (1992): «Philippe Pinel's "Memoir on Madness" of December 11, 1794: A fundamental text of modern psychiatry». Am J Psychiatry, 149, 6, 725 – 732.

Winnicott, D. W. (1974): «Fear of breakdown»: International Review of Psychoanalysis, 1, 103 – 107.

Zahavi, D. & Parnas, J. (2010): «Bevidsthed – Et grundlæggende emne i psykiatrien». Kapittel 2 i: Parnas, J., Mors, J. & Krogh – Sørensen, P. (Red.): «Klinisk psykiatri». København. Munksgaard.